

[90C07FB1.html](#)

NEW QUESTION 344

Which two options are valid to create vApp in the vSphere Environment? (Choose two.)

- A. Login using vSphere WebClient to the vCenter Server, right click on the standalone ESXi host and select Create new vApp.
- B. Login using vSphere Host Client to the ESXi host, right click on the host and select Create new vApp.
- C. Login using vSphere C# Client to the ESXi host, right click on the host and select Create new vApp.
- D. Login using vSphere WebClient to the vCenter Server, right click on the Cluster and select Create new vApp.

Answer: BD

NEW QUESTION 345

What three types of host bus adapters are supported for connecting to shared storage on an ESXi hosts? (Choose three.)

- A. Software SATA
- B. Software iSCSI
- C. Hardware HBA
- D. Software FCoE

Answer: BCD

NEW QUESTION 346

Which three IP address may be pinged by the Test Management network feature in the ESXi hosts DCUI? (Choose three.)

- A. Secondary DNS server
- B. Default gateway
- C. NTP server
- D. Primary DNS server
- E. DHCP server

Answer: ABD

Explanation:

To test if the ESXi host management network, press Enter. ESXi performs the following tests:

- pings the subnet gateway specified
- pings the primary DNS server specified
- pings the alternate DNS server specified
- resolves the hostname of the ESXi host

http://pubs.vmware.com/vsphere-50/index.jsp?topic=%2Fcom.vmware.vsa.doc_10%2FGUID-B14C1BD3-AB4E-4A5F-AAEB-8A2856B19FC1.html

NEW QUESTION 347

The error message below displays in the Summary tab for a host, even though there are two available uplinks for the vSwitch hosting the VMkernel Port Management Network, providing redundancy:

Host <xxx> currently has no management network redundancy

Which three methods can be used after confirming the correct network configuration? (Choose three.)

- A. Set the vSphere HA advanced option das.ignoreRedundantNetWarning to true and reconfigure VMware HA on that host.
- B. Disable and then re-enable HA.
- C. Restart the management agents from the DCUI.
- D. Add a third vmnic to the management network on a vSwitch configured with NIC teaming.
- E. Right-click the host and click Reconfigure HA.

Answer: ABE

Explanation:

<https://kb.vmware.com/s/article/1004700>

NEW QUESTION 348

By using vSphere Standard Switch, what is the maximum number of port groups allowed per host?

- A. 1000
- B. 2000
- C. 1024
- D. 900

E. 512

Answer: E

Explanation:

<https://www.vmware.com/pdf/vsphere6/r65/vsphere-65-configuration-maximums.pdf>

NEW QUESTION 349

A VMware vSphere Administrator is tasked with enabling Fault Tolerance (FT) on a VM but is unable to. What is the reason that FT cannot be enabled?

- A. The VM has a VMDK that is greater than 2 TB.
- B. The VM is configured to use Jumbo Frames.
- C. The VM has 4 vCPU.
- D. The VM is running an operating system that is more than 4 years old.

Answer: C

Explanation:

Enabling fault tolerance on a virtual machine with more than 1 vCPU using the vSphere Client fails. You see the error: "The Virtual Machine has x virtual CPUs and is not supported for Fault Tolerance"

<https://kb.vmware.com/s/article/2130553>

NEW QUESTION 350

What ESXi command line command can be used to troubleshoot basic network connectivity?

- A. vmkping
- B. vim-cmd
- C. vmware-lv
- D. chconfig

Answer: A

Explanation:

<https://kb.vmware.com/s/article/2020669>

NEW QUESTION 351

What load balancing appliance does VMware recommend for deploying a vRealize Log Insight cluster?

- A. VMware NSX Load Balancer
- B. integrated Load Balancer
- C. F5 Big-IP
- D. Citrix NetScaler

Answer: B

Explanation:

You can enable the vRealize Log Insight integrated load balancer (ILB) on a vRealize Log Insight cluster to ensure that incoming ingestion traffic is accepted by vRealize Log Insight even if some vRealize Log Insight nodes become unavailable. You can also configure multiple virtual IP addresses. It is highly recommended that you enable the ILB in a vRealize Log Insight cluster environment.

<https://docs.vmware.com/en/vRealize-Log-Insight/4.0/com.vmware.log-insight.administration.doc/GUID-7B981536-F80C-458F-A196-2AFD4B1D33C2.html>

NEW QUESTION 352

A vSphere Administrator is tasked with implementing a production VMware vSAN cluster and has followed the design and sizing guide to correctly size the environment. Which two requirements represent valid VMware recommendations? (Choose two.)

- A. A disk group must be composed of more than one cache disk and at least one capacity disk.
- B. All-Flash configurations do not require a caching tier.
- C. A disk group must be composed of one cache disc and at least one capacity disk.
- D. The cache tier should be sized to no less than 10% of the capacity tier.

Answer: CD

NEW QUESTION 353

A vSphere Administrator currently has three two-socket servers that meet the requirements for VMware vSAN. Currently there is VMware Essentials Plus licensing for all servers. Implement a solution based on VMware vSAN?

- A. Upgrade to VMware vSphere Standard.
- B. Upgrade to VMware vSphere Enterprise Plus.
- C. None is required. VMware vSAN is built into the Kernel.
- D. Upgrade to VMware vSAN Standard.

Answer: C

Explanation:

<https://www.vmware.com/content/dam/digitalmarketing/vmware/en/pdf/products/vsan/vmware-vsan-datasheet.pdf>

NEW QUESTION 354

Which statement is true when adding a VM to a Resource Pool?

- A. The VM share value (%Shares) adjusts to the Resource Pool.
- B. The VM reservation changes.
- C. The VM limit changes.
- D. The VM share value (%Shares) remains unchanged.

Answer: A

Explanation:

https://pubs.vmware.com/vsphere-4-esx-vcenter/index.jsp?topic=/com.vmware.vsphere.resourcemanagement.doc_40/managing_resource_pools/t_add_virtual_machines_to_a_resource_pool.html

NEW QUESTION 355

What three configuration steps are required to mount an NFS datastore in vSphere? (Choose three.)

- A. On each ESXi host, configure a VMkernel Network port for NFS traffic.
- B. On the NFS server, configure an NFS volume and export it to be mounted on the ESXi hosts.
- C. Configure VMkernel Port Binding.
- D. On virtual machines running Microsoft Windows, increase the value of the SCSI TimeoutValue parameter to allow Windows to better tolerate delayed I/O resulting from path failover.
- E. If you plan to use Kerberos authentication with the NFS 4.1 datastore, configure the ESXi hosts for Kerberos authentication.

Answer: ABE

NEW QUESTION 356

.....

100% valid 2V0-602 exam questions from PassLeader 2V0-602 dumps! Welcome to download the newest & 100% pass guarantee

PassLeader 2V0-602 VCE and PDF dumps: <https://www.passleader.com/2v0-602.html> (362 Q&As --> 382 Q&As)

P.S. Free & New 2V0-602 dumps are available on Google Drive shared by PassLeader:

https://drive.google.com/open?id=0B-ob6L_QjGLpZGoxeGwzYVZGZmM