

Free PassLeader 2V0-622 Exam Dumps with VCE and PDF Download (Question 61 – Question 90)

100% pass guarantee PassLeader 2V0-622 VCE and PDF dumps: <https://www.passleader.com/2v0-622.html> (399 Q&As --> 455 Q&As --> 524 Q&As)

P.S. Free & New 2V0-622 dumps are available on Google Drive shared by PassLeader:

https://drive.google.com/open?id=0B-ob6L_QjGLpMEMteE5pWklQQ1U

QUESTION 61

An administrator created a six node Virtual SAN cluster, created a fault domain, and moved three of the six nodes into that domain. A node that is a member of the fault domain fails. What is the expected result?

- A. The remaining two fault domain members are treated as failed.
- B. The remaining two fault domain members stay protected by the domain.
- C. One of the non-member nodes will be automatically added to the fault domain.
- D. VMware High Availability will restart virtual machines on remaining nodes in the domain.

Answer: A

QUESTION 62

Where is a Virtual SAN Fault Domain configured?

- A. VMware Virtual SAN Cluster configuration
- B. VMware High Availability Cluster configuration
- C. Distributed Resource Scheduler configuration
- D. Datacenter Advanced Settings configuration

Answer: A

QUESTION 63

Which statement is true for the Path Selection Plug-In VMW_PSP_MRU?

- A. VMW_PSP_MRU is default for a majority of active-active and active-passive arrays.
- B. VMW_PSP_MRU will remain on the selected path even if the state were to change.
- C. VMW_PSP_MRU is recommended for Virtual SAN.
- D. VMW_PSP_MRU will have no preferred path setting for the Plug-In.

Answer: D

QUESTION 64

Which two tasks does the Pluggable Storage Architecture (PSA) perform? (Choose two.)

- A. Handles I/O queueing to the logical devices.
- B. Handles physical path discovery, but is not involved in the removal.
- C. Handles physical path discovery and removal.
- D. Handles I/O queueing to FC storage HBAs.

Answer: AC

QUESTION 65

Which two statements are true regarding Storage Multipathing Plug-Ins? (Choose two.)

- A. The default Path Selection Policy is VMW_PSP_MRU for iSCSI or FC devices.
- B. The default Path Selection Policy is VMW_PSP_FIXED for iSCSI or FC devices.
- C. VMW_PSP_MRU is typically selected for ALUA arrays by default.
- D. VMW_PSP_FIXED is typically selected for ALUA arrays by default.

Answer: BC

QUESTION 66

What is the command to list multipathing modules on an ESXi 6.x host?

- A. esxcli storage core list plugin --plugin-class=MP
- B. esxcli storage core list plugin --class-plugin=MP
- C. esxcli storage core plugin list --plugin-class=MP
- D. esxcli storage core plugin list --class-plugin=MP

Answer: C

QUESTION 67

Which two solutions require Physical Mode Raw Device Mapping (RDM)? (Choose two.)

- A. Direct access to the storage array device
- B. Virtual Machine Snapshots
- C. Hardware Acceleration
- D. Guest Clustering across ESXi hosts

Answer: AD

QUESTION 68

A device's vStorage API for Array Integration (VAAI) support status command line output shows:

naa.500253825002a865 VAAI

Plugin Name: ATS

Status: unsupported

Clone Status: unsupported

Zero Status: supported

Delete Status: unsupported


What is the corresponding VAAI support status in the vSphere Web Client?

- A. Unknown
- B. Supported
- C. Not supported
- D. Unsupported

Answer: A

QUESTION 69

Refer to the exhibit. What will be the result of selecting the highlighted device?



- A. Datastore will grow up to 200.01GB using the remaining free space on the device.
- B. Datastore will add 200.01GB by adding the device as a second extent.
- C. The device size can be expanded to be larger than 200.01GB in size.
- D. The device is not suitable for this operation.

Answer: A

QUESTION 70

An administrator observes that virtual machine storage activity on an ESXi 6.x host is negatively affecting virtual machine storage activity on another host that is accessing the same VMFS Datastore. Which action would mitigate the issue?

- A. Enable Storage IO Control.
- B. Configure Storage DRS.
- C. Enable the Dynamic Queue Depth Throttling option.
- D. Configure the Disk.SchedNumReqOutstanding parameter.

Answer: A

QUESTION 71

An administrator is having a problem configuring Storage I/O Control on a Datastore. Which two conditions could explain the issue? (Choose two.)

- A. A host is running ESXi 4.0.
- B. An ESXi host does not have appropriate licensing.
- C. The vCenter Server version is 5.0.

D. The vCenter Server License is Standard.

Answer: AB

QUESTION 72

Which three are requirements for configuring Storage I/O Control (SIOC)? (Choose three.)

- A. The datastore must consist of only one extent.
- B. The datastore is managed by a single vCenter Server.
- C. Auto-tiered storage must be compatible with SIOC.
- D. Auto-tiered storage must be SSD or SATA.
- E. The datastore must be VMFS.

Answer: ABC

QUESTION 73

Refer to the exhibit. An administrator wishes to provide Load Balanced I/O for the device shown in the exhibit:

Device Details www.pazzleader.com

| Properties | | Paths | |
|---------------------------|----------------|-------|--|
| Owner | NMP | | |
| Partition Details | | | |
| Partition Format | GPT | | |
| ▶ Primary Partitions | 1 | | |
| ▶ Logical Partitions | 0 | | |
| Multipathing Policies | | | |
| ▶ Path Selection Policy | Fixed (VMware) | | |
| Storage Array Type Policy | VMW_SATP_EQL | | |

To meet this requirement, which setting should be changed?

- A. Storage Array Type Policy = VMW_NMP_RR
- B. Path Selection Policy = Round Robin (VMware)
- C. Storage Array Type Policy = VMW_SATP_RR
- D. Path Selection Policy = MRU (VMware)

Answer: B

QUESTION 74

Refer to the exhibit. An administrator is configuring a storage device as shown in the exhibit. What is the expected effect on the stated device after running the command?

```
[root@ds-lab-vsaa12:~]# esxcli storage nmp psp roundrobin deviceconfig set --useano=0 -d naa.600000e00d1100000011cd2000f0000
```

- A. I/O will rotate on all storage targets regardless of port group state.
- B. I/O will rotate on all storage targets that are Active Optimized state only.
- C. I/O will rotate on all storage targets that are Active Unoptimized state only.
- D. I/O will rotate on all storage targets that are on Available Nodes only.

Answer: B

QUESTION 75

An administrator is upgrading an ESXi 5.5 host to ESXi 6.x and gets the following error:

MEMORY_SIZE

What does this indicate?

- A. Insufficient memory on the ESXi host to complete the upgrade.
- B. Insufficient memory for Auto Deploy to complete the upgrade.
- C. Insufficient memory in vCenter Server to complete the upgrade.
- D. Insufficient memory for Update Manager to complete the upgrade.

Answer: A

QUESTION 76

An administrator is upgrading an ESXi host from 5.5 to 6.0 and runs the following command:

```
esxcli software vib list --rebooting-image
```

What does this command show?

- A. VIBs active after a reboot.
- B. VIBs that require a reboot.
- C. VIBs that are in the boot image.
- D. VIBs that are third-party.

Answer: A

QUESTION 77

An administrator is performing a silent automatic update of VMware Tools on a Windows virtual machine. What syntax needs to be entered into the Advanced Options box?

- A. /s /v "/qn" /l "c:Windowsfilename.log"
- B. --prefix=/usr/local,/usr/lib,/usr/doc --silent
- C. --prefix=c:Windows,c:VMtools --silent
- D. /fs /v "/qn+" /l "c:Windowsfilename.log"

Answer: A

QUESTION 78

An administrator is writing a kickstart script to upgrade an ESXi 6.x host. In which three locations can the script reside? (Choose three.)

- A. NFS
- B. USB
- C. HTTP
- D. TFTP
- E. PXE

Answer: ABC

QUESTION 79

Which file determines the location of the installation script during a scripted upgrade?

- A. boot.cfg
- B. ks.cfg
- C. script.cfg
- D. upgrade.cfg

Answer: A

QUESTION 80

What three supported methods can be used to upgrade a host from ESXi 5.x to ESXi 6.x? (Choose three.)

- A. vSphere Update Manager
- B. vihostupdate
- C. esxcli
- D. vSphere Auto Deploy
- E. esxupdate

Answer: ACD

QUESTION 81

Which two supported tools can be used to upgrade virtual machine hardware? (Choose two.)

- A. vSphere Web Client
- B. vSphere Update Manager
- C. vmware-vmupgrade.exe
- D. esxcli vm hardware upgrade

Answer: AB

QUESTION 82

What are three recommended prerequisites before upgrading virtual machine hardware? (Choose three.)

- A. Create a backup or snapshot of the virtual machine.
- B. Upgrade VMware Tools to the latest version.
- C. Verify that the virtual machine is stored on VMFS3, VMFS5, or NFS datastores.
- D. Detach all CD-ROM/ISO images from the virtual machines.
- E. Set the Advanced Parameter virtualHW.version = 11.

Answer: ABC

QUESTION 83

An administrator wants to upgrade to vCenter Server 6.x. The vCenter Server:

- Is hosted on a virtual machine server running Microsoft Windows Server 2008 R2, with 8 vCPUs and 16GB RAM.
- Will have an embedded Platform Services Controller.
- Hosts a Large Environment with 1,000 ESXi hosts and 10,000 Virtual Machines.

Why does the vCenter Server not meet the minimum requirements?

- A. Windows Server 2008 R2 is not a supported Operating System for vCenter Server.
- B. The virtual machine has insufficient resources for the environment size.
- C. The environment is too large to be managed by a single vCenter Server.
- D. The Platform Services Controller must be changed to an External deployment.

Answer: B

QUESTION 84

An administrator has upgraded a Distributed vCenter Server

environment from 5.5 to 6.0. What is the next step that should be taken?

- A. vCenter Inventory Service must be manually stopped and removed.
- B. vCenter Inventory Service must be changed from manual to automatic.
- C. vCenter Inventory Service must be manually stopped and restarted.
- D. vCenter Inventory Service must be changed from automatic to manual.

Answer: A

QUESTION 85

When upgrading vCenter Server, an administrator notices that the upgrade fails at the vCenter Single Sign-On installation. What must be done to allow the upgrade to complete?

- A. Verify that the VMware Directory service can stop by manually restarting it.
- B. Verify that the vCenter Single Sign-On service can stop by manually restarting it.
- C. Uninstall vCenter Single Sign-On service.
- D. Uninstall the VMware Directory service.

Answer: A

QUESTION 86

During a vCenter Server upgrade, an ESXi 6.x host in a High Availability (HA) cluster fails. Which statement is true?

- A. HA will fail the virtual machines over to an available host during the vCenter Server upgrade process.
- B. HA is unavailable during the vCenter Server upgrade process.
- C. HA will fail the virtual machines over to an available host after the vCenter Server upgrade completes.
- D. HA will successfully vMotion the virtual machines during the host failure.

Answer: A

QUESTION 87

An administrator is upgrading a vCenter Server Appliance and wants to ensure that all the prerequisites are met. What action must be taken before upgrading the vCenter Server Appliance?

- A. Install the Client Integration Plug-in.
- B. Install the database client.
- C. Install the ODBC connector.
- D. Install the Update Manager Plug-in.

Answer: A

QUESTION 88

An administrator is upgrading vCenter Server and sees this error:

- The DB User entered does not have the required permissions needed to install and configure vCenter Server with the selected DB
- Please correct the following error(s): %s

Which two statements explain this error? (Choose two.)

- A. The database is set to an unsupported compatibility mode.
- B. The permissions for the database are incorrect.
- C. The permissions for vCenter Server are incorrect.
- D. The database server service has stopped.

Answer: AB

QUESTION 89

Which two vCenter Server services are migrated automatically as part of an upgrade from a Distributed vCenter Server running 5.x? (Choose two.)

- A. vCenter Single Sign-on Service
- B. vSphere Web Client
- C. vSphere Inventory Service
- D. Storage Policy Based Management

Answer: BC

QUESTION 90

What command line utility can be used to upgrade an ESXi host?

- A. esxcli
- B. esxupdate
- C. vihostupdate
- D. esxcfg

Answer: A

100% valid 2V0-622 exam questions from PassLeader 2V0-622 dumps! Welcome to download the newest & 100% pass guarantee PassLeader 2V0-622 VCE and PDF dumps:

<https://www.passleader.com/2v0-622.html> (399 Q&As --> 455 Q&As --> 524 Q&As)

P.S. Free & New 2V0-622 dumps are available on Google Drive shared by PassLeader:

https://drive.google.com/open?id=0B-ob6L_QjGLpMEMteE5pWklQQ1U