PassLeader 2V0-602 Exam Dumps Collection with VCE and PDF (Question 169 – Question 192)

100% valid 2V0-602 exam questions from PassLeader 2V0-602 dumps! Welcome to download the newest & 100% pass guarantee PassLeader 2V0-602 VCE and PDF dumps: https://www.passleader.com/2v0-602.html (313 Q&As --> 362 Q&As --> 382 Q&As)
P.S. Free & New 2V0-602 dumps are available on Google Drive shared by PassLeader:
https://drive.google.com/open?id=0B-ob6L_QjGLpZGoxeGwzYVZGZmM

QUESTION 169

Which three traffic types are available services options when configuring a vmkernel port? (Choose three.)

A. Provisioning Traffic
B. Virtual Volumes Traffic
C. vSphere Replication NFC Traffic
D. Virtual SAN Traffic
E. FCoE Traffic

Answer: ACD

QUESTION 170

An administrator is installing vCenter Server for an environment that has 40 ESXi 6.x Hosts and 150 virtual machines. Which database would meet the minimal requirements needed for this task?

A. vFabric Postgres
B. Microsoft SQL Express 2008
C. Microsoft SQL Server 2014
D. Oracle 11g

Answer: A

QUESTION 171

An administrator is creating a new Virtual SAN cluster on a Layer 2 network. There is an existing Virtual SAN cluster on the same Layer 2 network. Which two actions would allow the new Virtual SAN cluster to coexist with the older cluster? (Choose two.)

A. Change the default Multicast Address on the new Virtual SAN cluster.
B. Change the default Unicast Address on the new Virtual SAN Cluster.
C. Create a separate VLAN for each cluster.
D. Create an ARP Alias for the Virtual SAN VMkernel Network Adapter.

Answer: AC

QUESTION 172

What is true about resource pools created on a Distributed Resource Scheduler (DRS) cluster?

A. A root resource pool is created with the specified values.
B. A root resource pool is automatically created using the aggregate total of the ESXi host resources in the cluster.
C. A root resource pool is automatically created using the aggregate total of all resources in the datacenter.
D. A root resource pool is not needed when creating resource pools on a DRS cluster.

Answer: B

QUESTION 173

An administrator is unable to remove an ESXi 6.x host from a vSphere Distributed Switch. What are two likely reasons for this issue? (Choose two.)

A. Vmkernel interfaces on the switch are still in use.
B. VM Network port group adapters are connected to different switch.
C. Physical NICs are migrated to different switch.
D. VM Network adapters are connected to this switch.

Answer: AD

QUESTION 174

An administrator is configuring the Maximum Transmission Unit value on a vSphere Distributed Switch. Which two options are

typical values for ESXi networking? (Choose two.)

A. 1492

B. 1500

C. 9000

D. 9089

Answer: BD

QUESTION 175

A developer needs to create a multi-tier development stack for a home lab. Which vSphere product will support the architecture required for the least software cost?

A. vSphere Hypervisor

B. vSphere Essentials

C. VMware Player

D. VMware Workstation

Answer: A

QUESTION 176

You want to deploy a vApp and dynamically assign IP addresses without a DHCP server on the network. Which action would you take to accomplish this task?

A. Enable IP pools.

B. Configure a local DHCP server in the vApp.

C. Enable NAT on the vApp router.

D. Configure the guest OS for workgroup and WINS.

Answer: A

QUESTION 177

Which two High Availability (HA) Cluster admission control policies can help avoid resource fragmentation? (Choose two.)

A. Define failover capacity by static number of hosts

B. Define failover capacity by reserving a percentage of the cluster resources

C. Use dedicated failover hosts

D. Use Virtual Machine Monitoring

Answer: AC

QUESTION 178

An administrator is creating a new vSphere Distributed Switch that will be utilized with a specific vSphere Cluster. The cluster itself contains a mix of ESXi 5.x and 6.x Hosts. Which Distributed Switch version should be created to support this configuration?

A. Distributed Switch: 6.0.0

B. Distributed Switch: 5.0.0

C. Distributed Switch: 5.1.0

D. Distributed Switch: 5.5.0

Answer: B

QUESTION 179

An administrator is virtualizing a physical application server and adding it to an existing multi-tiered vApp. The application license is currently tied to the physical NIC's MAC address, so the administrator needs to ensure the license will function properly in the virtual machine. Which two actions can the administrator take to satisfy this task? (Choose two.)

A. Set the MAC address for the vNIC in the guest operating system.

B. Install the physical server's NIC into the ESXi host.

C. Configure the MAC address for the vNIC using the vSphere Web Client.

D. Assign the physical server NIC's MAC address in the vSphere Distributed Switch.

Answer: AC

QUESTION 180

Which three actions can be taken as a result of executing the vSphere Update Manager 6.x scan and remediation wizards? (Choose three.)

A. Install and upgrade software in virtual machines.

B. Upgrade the firmware on ESXi host devices.
C. Upgrade and Patch ESXi hosts.
D. Install and update third-party software on hosts.
E. Upgrade virtual machine hardware.
Answer: CDE
QUESTION 181
Which two storage controller configurations can be used with Virtual SAN? (Choose two.)
A. SAS controllers in Passthrough mode
B. SAS controllers in RAID0 mode
C. SAS controllers in RAID1 mode
D. SAS controllers in RAID10 mode
Answer: AB
QUESTION 182
An administrator has been tasked with enabling High Availability (HA) on a cluster in a vSphere 6.x environment with default settings. The cluster configures properly and there are no errors. The next day when powering on a virtual machine, an error is presented:
?Not Enough Failover Resources?
Which three scenarios are likely causes of this error message? (Choose three.)
A. The default VM Monitoring Sensitivity is set too high.
B. There are not enough datastore heartbeat datastores configured by default.
C. The default slot size in the cluster is set too high.
D. There are virtual machines with large CPU reservations.
E. A host is in maintenance mode for a replacement of a failed Hard Drive.
Answer: CDE
QUESTION 183
An administrator configures vSphere Replication for a virtual machine and enables multiple point in time (PIT) instances under the recovery settings in the Configure Replication wizard. Which two statements are correct for vSphere Replication with multiple point in time instances enabled? (Choose two.)
A. vSphere Replication retains a number of snapshot instances of the virtual machine on the target site based on the retention policy that you specify.
B. vSphere Replication uses the virtual machine's snapshot instances to define the target site Point in Time instance based on the retention policy that you specify.
C. vSphere Replication does not support virtual machines with snapshots.
D. vSphere Replication supports virtual machines with snapshots.
Answer: AC
QUESTION 184
Which two networking connection types can be configured on a virtual switch? (Choose two.)
A. Virtual machine portgroups
B. VMkernel services (such as NFS, iSCSI, or vMotion) to the physical network
C. Web services over the Management Network
D. NFS and FCoE storage services
Answer: AB
QUESTION 185
Which three statements are true regarding Fault Tolerance? (Choose three.)
A. Applications need to be continuously available to users.
B. Applications without native clustering capabilities can be protected.
C. Custom clustering solutions are complicated to configure and maintain.
D. Applications that have 16 vCPUs are supported.
E. Prevents application crashes by analyzing the workload and correcting problems.
Answer: ABC

QUESTION 186

An administrator is installing a new network card in an ESXi 6.x host that is part of a vSphere cluster. When the host is placed into maintenance mode, the vSphere Web Client displays the progress bar at 2% for over 30 minutes. Which two are likely reasons for this occurrence? (Choose two.)

A. Maintenance mode is unable to migrate all virtual machines from the host.
B. There is a large number of virtual machines that must be migrated from the host.
C. VMware High Availability is in the process of reconfiguring the cluster.
D. Each virtual machine on the ESXi host must be reconfigured to recognize the new adapter.

Answer: AB

QUESTION 187

An administrator is attempting to power on a virtual machine, but the task is hanging at 95%. What three scenarios best explain why this problem is happening? (Choose three.)

A. A virtual machine question is currently being posed to the administrator.
B. Another task for the virtual machine or other component is already in progress.
C. The VMware High Availability cluster has insufficient resources to guarantee failover.
D. The host has lost access to the storage device containing the virtual machine files.
E. The host is under resource contention and unable to power on the virtual machine.

Answer: ABC

QUESTION 188

An administrator is attempting to power on a virtual machine, but is unable to do so. Which two reasons are probable causes of the failure? (Choose two.)

A. Storage access to the virtual machine swap file has been lost.
B. One of the virtual machine VMDK files is locked.
C. Virtual machine is running CentOS 7.0 64-bit.
D. Virtual machine has Hyper-Threading enabled.

Answer: AB

QUESTION 189

Which three conditions would prevent Storage I/O Control from being enabled on a group of datastores? (Choose three.)

A. The datastores planned for the solution are used by different vSphere clusters.
B. A datastore planned for the solution is configured as a Raw Device Mapping file.
C. A datastore planned for the solution has three extents.
D. A datastore planned for the solution is configured as NFS.
E. The organization has an Enterprise license.

Answer: BCE

QUESTION 190

An administrator is cloning and configuring five new web server virtual machines. What would be the benefit of configuring resource shares for the new VMs?

A. To prioritize access to a resource during contention.
B. To guarantee access to a resource during contention.
C. To prioritize access to a resource before contention occurs.
D. To guarantee access to a resource before contention occurs.

Answer: A

QUESTION 191

What is the default load balancing policy for a newly created VMkernel port on a vSphere Distributed Switch?

A. Route based on orginating virtual port ID
B. Route based on IP Hash
C. Route based on source mac address
D. Route based on physical NIC load

Answer: A

QUESTION 192

By default, each ESXi 6.x host is provisioned with a certificate from which root certificate authority?

A. RedHat Certificate Authority

B. VMware Certificate Authority

C. DigiCert Certificate Authority

D. Verisign Certificate Authority

Answer: B

100% valid 2V0-602 exam questions from PassLeader 2V0-602 dumps! Welcome to download the newest & 100% pass guarantee PassLeader 2V0-602 VCE and PDF dumps: https://www.passleader.com/2v0-602.html (313 Q&As --> 362 Q&As --> 382 Q&As)
P.S. Free & New 2V0-602 dumps are available on Google Drive shared by PassLeader:
https://drive.google.com/open?id=0B-ob6L_QjGLpZGoxeGwzYVZGZmM